



Aluminum Anodize Surface Exhaust Fan Blades / 6063 - T5 / 6061-T6

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: HENTEC
- Certification: CA ,CE
- Minimum Order Quantity: 500set
- Packaging Details: Ep paper , pallet or wooden case
- Delivery Time: 20days
- Payment Terms: T/T ,L/C
- Supply Ability: 100 000sets each month



Product Specification

- Product Name: Fan Blade
- Item: Aluminum Extrusion Profile Of Industrial Fan Blade
- Temper: T5, T6
- Surface: Anodize
- Material: Aluminum
- Machining: 1. Milling; 2. Drilling; 3. Bending; 4. Cutting
- Highlight: replacement fan blade, palm frond fan blades

for more products please visit us on aluminumextrusion-profiles.com

Product Description

Aluminum Anodize Surface Exhaust Fan Blades / 6063 - T5 / 6061-T6

Hentec Industry Co., Ltd is one China Manufactory, professional ataluminum extrusion profiles, both semi and final products, such as Aluminum fan blade , LED aluminum bracket, aluminum door, aluminum window, aluminum curtain rod, aluminum guide rail, aluminum fencing and all kinds of industrial and building aluminum profile, square, round, flat, oval, angle, irregular and all types according to the customers' drawing.

Descriptin :

Material: Aluminum Alloy 6063.

Temper: T5, T6.

Surface Treatment: Mill Finish, Anodic Oxidation, Electrophoretic Coating, Powder Spraying , Fluorocarbon Spraying, Polished, etc. Wonderful surface treatment with the customers' requirement.

Deep Processing: Cutting, Drilling, CNC Machine, etc.

Package: According to customers' requirement, such as shrinking film, foam paper, craft paper, carton box, wooden pallet, etc.

Application: Industry, Fan ,Construction, Architecture, Door & Window, Decorations, Furniture, Tubes and Pipes, Heat Sink and LED Aluminum Profile, etc.

Production Capacity: 5000 T / Mon.

OEM & ODM is possible.

Professional manufacturer, quality and service guarantee.

Specifications:

1. Primary Technical Data

1) Chemical composition

2) Mechanical property

Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	T5	≥ 160Mpa	≥ 110Mpa	≥ 8%
	T6	≥ 205Mpa	≥ 180Mpa	≥ 8%
6061	T6	≥ 265Mpa	≥ 245Mpa	≥ 8%

3. Surface Treatment of Sections

(Class)	(μm),not diminish than		acid-resistant			abrasion resistance
	(Min-average film thickness)	(Min-part film thickness)	CASS		(S)	(f, g /μm)
			(h)	Class		
AA10	10	8	16	≥9	≥50	≥300
AA15	15	12	32	≥9	≥75	≥300
AA20	20	16	56	≥9	≥100	≥300
AA25	25	20	72	≥9	≥125	≥300

Competitive Advantage:

- 1.High hardness, hard aluminum series.
- 2.Fair corrosion resistance. Heat treatable
- 3.Good workability. Good appearance
- 4.High quality and reasonable price.
- 5.Our product is your best choice.



Our product have been exported to Europe, South Africa, Algeria, Angola, Chile, Egypt, Ethiopia, Ghana, Libya, Nepal, Nigeria, Philippines, Thailand, Tanzania, South Africa, etc. There are ready moulds for aboved countries, and easy for clients to placed order. On the other hand, you can send us your sample or drawing, we will surely make exactly what you want after discussing with each other.

Our performance is better than the ordinary ones. Excellent metal colors and strong endurance, good performance in heat-resistance, radio resistance, anti-corrosion and anti-cyclone, etc.

Our factory focus on making quality aluminum profiles and considerate service for each client. We will be your another best choice in life and hope you will never stop enjoying the benefits.


Tag :

metal fan blades

,Aluminum fan blades

axial fan blade

 **HENTEC** Hentec Industry Co.,Ltd

 +86-13861643436

 aluminum@hentec.com.cn

 aluminumextrusion-profiles.com

Qinfeng Road No.555 Huashi Town Jiangyin Jiangsu China (mainland) 214421