Hentec Industry Co.,Ltd aluminumextrusion-profiles.com

Powder Painted Constructin Aluminum Profile Aluminum Construction Material

Basic Information

Place of Origin: China
Brand Name: HT
Certification: CA ,CE
Minimum Order Quantity: 1 ton

• Packaging Details: Ep paper ,kraft ,pallet

Delivery Time: 20daysPayment Terms: T/T ,L/C

• Supply Ability: 100 000ton each month



Product Specification

Product Name: Aluminum Extrusion Bar

Alloy: 6063
Material: Aluminum
Suface Treatment: Anodized
Temper: T4, T5, T6

Application: Buildings,commercial,industrial
 Highlight: construction aluminium profile, extruded aluminum shapes

Product Description

Powder Painted Constructin Aluminum Profile, Aluminum Construction Material

Our 4500T grade extrusion machine enable us to produce any section within 400*150mm and φ 360. Your drawings are definitely welcomed.

Price indication: basic aluminium ingot, extrusion cost, surfacing cost and extra. We also supply fully assembled premium grade window&door systems

Description:

- 1. Material: 6063,6061,6060,6005,6005A,etc.
- 2. Temper: T5 or T6
- 3. Finish: Mill finish, anodizing, powder coating, electrophoresis, wooden transfer or pvdf/carbon-flouride coated, polishing, brushing, sand blasting
- 4. Various colors: Silver, bronze, black, gold, blue,grey, champagne, bright, etc.
- 5. Machining: Cutting, punching, drilling, tapping, milling, bending, welding, CNC etc.
- 6. Various in styles and sizes:
- A) Aluminum alloy bars: 6000 series, such as 6063,6005,6061,6060, special materials such as 6082 etc.
- B) Aluminum profiles:
- ---General aluminum profiles (various shapes of pipes/tubes, angles, T or U shapes etc.)
- --- Industrial aluminum profiles (TV frames, Rim for bicycles and motorcycles, Heat sink profiles, Furniture, Ladder, Guide Rail, Leisure materials, Shower Room, Solar Module Frame, Motor Shell, Pipeline Integration etc.)
- --- Construction aluminum profiles (Aluminum doors& windows, and Sliding Windows, Door Window, Curtain Wall Frame etc.)
- 7. Certification: ISO9001,SGS,ROHS,TUV
- 8. Strong technical development ability, can provide high intensity and high ductility aluminum profiles, to meet customers' different requirements.
- 9. OEM service available, customized design available

Description:

Item	Aluminum Extrusion bar							
Material	Alloy 6063, 6061 or according to customer's choice							
Temper	T3, T4, T5, T6							
Surface Anodize (clear, satin, bronze, black, golden, silver, other multicolor), electrophoresis, powder coating, PVDF coating, wood grain painting, etc.								
MOQ	1 ton. Usually 12 tons for a 20 feet container; 24 tons for a 40 feet container.							
Profile type	Industry Aluminum profile used in cars, trains machinery ,trailers ,electronics, medical and other industrial filed .							
Machining	1. milling; 2. Drilling; 3. Bending; 4. Cutting							
Moulding	Using our moulds, free; 2. Using customer's drawing, opening mould fee need to be paid.							
Certificate	ISO14001:2004, ISO9001:2000							
FOB Port	Shanghai, etc.							



Applications:

Industry Aluminum profile used in cars, trains machinery ,electronics, medical and other industrial filed. In terms of hardware, machinery, electromechanical parts, solar PV products, aluminum frames are adopt as important auxiliary materials. We also have aluminum profiles for radiators, fitness machinery, buildings, lighting instrument, windpipes, oil pipelines, for instance.

Specifications:

1. Primary Technical Data

1) Chemical composition

Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Impurity	Al

6063	0.2-0.6	0.35	0.1	0.1	0.45-0.9	0.1	0.1	0.1	0.15	Rest
6061	0.4-0.8	0.7	0.15-0.4	0.15	0.8-1.2	0.04-0.35	0.25	0.15	0.15	Rest
6060	0.3-0.6	0.1-0.3	0.1	0.1	0.35-0.6	-	0.15	0.1	0.15	Rest
6005	0.6-0.9	0.35	0.1	0.1	0.40-0.6	0.1	0.1	0.1	0.15	Rest

2) Mechanical property

Alloy	Temper	Tensile strength	Yield strength	Elongation
6063	T5	≥ 160Mpa	≥ 110Mpa	≥ 8%
	Т6	≥ 205Mpa	≥ 180Mpa	≥ 8%
6061	Т6	≥ 265Mpa	≥ 245Mpa	≥ 8%

Competitive Advantage:

- 1) Engineering design and support.
- 2) Aluminium profiles deeply processing:cutting,punching,drilling,milling,and fabricating.
- 3) High Quality system, strictly inspection during production and whole inspection before package.
- 4) Good performance, product warranty for 15 years.



→ HENTEC Hentec Industry Co.,Ltd







aluminum@hentec.com.cn



aluminumextrusion-profiles.com